AD-756 894

P AND PKP CODA DECAY CHARACTERISTICS FOR EARTHQUAKES

T. J. Cohen, et al

Teledyne Geotech

Prepared for:

Advanced Research Projects Agency Air Force Technical Applications Center

20 November 1972

DISTRIBUTED BY:



BEST AVAILABLE COPY



P AND PKP CODA DECAY CHARACTERISTICS FOR EARTHQUAKES

T. J. COHEN

E. I. SWEETSER

T. J. OUTTERER

SEISMIC DATA LABORATORY

NATIONAL TECHNICAL INFORMATION SERVICE

20 NOVEMBER 1972



Project VELA UNIFORM

Speasored by ADVANCED RESEARCH PROJECTS AGENCY Nuclear Monitoring Research Office ARPA Order No. 1714

TELEDYNE GEOTECH

ALEXANDRIA LABORATURIES

APPROVED FOR PUBLIC RELEASE; BISTRIBUTION UNLINITED,



Unclassified	
Security Classification	
DOCUMENT Committee of the contract and industrial policy of abstract and another policy of abstract another	CONTROL DATA - R&D
1. ORIGINATING ACTIVITY (Comprete author) Teledyne Geotech	Unclassified
Alexandria, Virginia	26 GROUP
3 REPORT TITLE	
P AND PKP CODA DECAY CHARACTER	RISTICS FOR EARTHQUAKES
A. DESCRIPTIVE HOTES (Type of report and inclusive detec) Scientific	
S. AUTHOR(S) (Lest name, first name, initial)	
Cohen, T.J.; Sweetser, E.I.; D	Outterer, T.J.
S. REPORT DATE	70. TOTAL NO. OF PAGES 76. NO. OF REPS
20 November 1972	196 197 1
F33657-72-C-0009	
VELA T/2706	301
ARPA Order No. 1714	9 b. OTHER REPORT MO(3) (Any other numbers that may be seeigned this report)
ARPA Program Code No. 2F-10	•
10. A VAIL ABILITY/LIMITATION HOTICES	
ADDONALD EUR DIIN	LIC RELEASE; DISTRIBUTION UNLIMITED.
APPROVED TO A TO B	12. SPONSORING MILITARY ACTIVITY

Cetails of illustrations in this document may be better studied on microfiche

Advanced Research Projects Agency Nuclear Monitoring Research Office Washington, D.C.

13 ABSTRACT

P and PKP coda characteristics are determined for earthquakes from 15 seismic regions as recorded at 17 World Wide Standard Seismograph Stations (WWSSS). In determining the coda characteristics for an event, amplitude measurements, scaled relative to the largest excursion in the coda, are made in successive time windows, and the coda envelope obtained by connecting successive observations. The individual coda, average coda, and standard deviations about the average coda as a function of time into the coda (in units of mb) are given for each set of measurements. The coda for events in a given region recorded at a given distance are found to be very similar to the coda for events from another region recorded at the same distance. That is, coda characteristics are determined primarily by the arrival times and amplitude of significant secondary phases Pipurther, the coda characteristics determined for large events (6.0 cm/2,0) appear applicable to complete the coda characteristics. Using data in the range 45° < A < 80°, the long-term P-coda decay constant \(\lambda\) for elapsed times greater than four minutes is .0017 per second (e-\(\frac{\chi}{\chi}\)). In the range 80° < \(\chi < 105^\chi\), the decay constant is somewhat larger, being on the order of .0037 per second.

Earthquake Coda P-Coda PKP-Coda Coda Decay Characteristics

> Unclassified Recurity Classification

I

P AND PKP CODA DECAY CHARACTERISTICS FOR EARTHQUAKES

SEISMIC DATA LABORATORY REPORT NO. 301

AFTAC Project No.:

VELA T/2706

Project Title:

Seismic Data Laboratory

ARPA Order No.:

1714

ARPA Program Code No.:

2F-10

Name of Contractor:

TELEDYNE GEOTECH

Contract No.:

F33657-72-C-0009

Date of Contract:

01 July 1971

Amount of Contract:

\$ 1,736,000

Contract Expiration Date:

31 October 1972

Project Manager:

Robert R. Blandford (703) 836-3882

P. O. Box 334, Alexandria, Virginia 22314

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED.

TABLE OF CONTENTS

	Page No.
ABSTRACT	
INTRODUCTION	1
DATA	2
ANALYSIS TECHNIQUES	3
RESULTS	4
CONCLUSIONS	10
REFERENCE	11

LIST OF FIGURES

Figure Title	Figure	No.
Regions used in coda analysis study.	1	
Map showing location of worldwide network.	2	
Coda measurement technique.	3	
a.) Single coda determinant; b.) Determination of representative coda envelope from a set of coda determinations.	4	
Travel-time curves for P phases.	5	
Coda characteristics, South America	J	
ADE, P coda		
	6	
ADE, PKP coda	7	
AQU, P coda	8	
BOZ, P coda	9	
CHG, PKP coda	10	
CMC, P coda	11	
DAL, P coda	12	
DAV, PKP coda	13	
IST, P coda	14	
IST, PKP coda	15	
KBL, PKP coda	16	
KON, P coda	17	
KON, PKP code	18	
MAL, P coda	19	

Figure Title	Figure	No.
Coda characteristics, South America		
MAT, PKP coda	20	
MUN, PKP coda	21	
NDI, PKP coda	22	
SEO, PKP coda	23	
SHI, PKP coda	24	
WES, P coda	25	
Coda characteristics, Central America		
ADE, PKP coda	26	
AQU, P coda	27	
BOZ, P coda	28	
CHG, PKP coda	29	
CMC, P coda	30	
DAL, P coda	31	
DAV, PKP coda	32	
IST, P coda	33	
KBL, PKP coda	34	
KON, P coda	35	
MAL, P coda	36	
MAT, P coda	37	
MAT, PKP coda	38	
MUN, PKP coda	39	

Figure Title	Figure	No.
Coda characteristics, Central America		
NDI, PKP coda	40	
SEO, PKP coda	41	
SHI, PKP coda	42	
WES, P coda	43	
Coda characteristics, California and Western United States		
ADE, PKP coda	44	
AQU, P coda	45	
BOZ, P coda	46	
CHG, PKP coda	47	
CMC, P coda	48	
DAL, P coda	49	
DAV - No observations	50	
IST - P coda	51	
KBL - PKP coda	52	
KON - P coda	53	
MAL - P coda	54	
MAT - P coda	55	
MUN - PKP coda	56	
NDI - P coda	57	

Figure Title	Figure N	o.
Coda characteristics, California and Western United States		
NDI - PKP coda	58	
SEO - P coda	59	
SHI - P coda	60	
WES - P coda	61	
Coda characteristics, Alaska		
ADE - no observations	62	
AQU - P coda	63	
BOZ - P coda	64	
CHG - P coda	65	
CMC - P coda	66	
DAL - P coda	67	
DAV - P coda	68	
IST - P coda	69	
KBL - P coda	70	
KON - P coda	71	
MAL - P coda	72	
MAT - P coda	73	
MUN - PKP coda	74	
NDI - D code	7.5	

VI

Elsi of Floores (cont. d.)	
Figure Title Coda Characteristics, Alaska	Figure No.
coda characteristics, Araska	
SEO - P coda	76
SHI - P coda	77
WES - P coda	78
Coda characteristics, Aleutian Islands	
ADE - P coda	79
AQU - P coda	80
BOZ - P coda	81
CHG - P coda	82
CMC - P coda	83
DAL - P coda	84
DAV - P coda	85
IST - P coda	86
KBL - P coda	87
KON - P coda	88
MAL - P coda	89
MAT - P coda	90
MUN - P coda	91
NDI - P coda	92
SEO - P coda	93
SHI - P coda	94
WES - P coda	95

VIII

Figure Title		Figure No.
Coda characteristics,	Kamchatka-Kurile	Islands
ADE - P coda		96
AQU - P coda		97
BOZ - P coda		98
CHG - P coda		99
CMC - P coda		100
DAL - P coda		101
DAV - P coda		102
IST - P coda		103
KBL - P coda		104
KON - P coda		105
MAL - P coda		106
MAT - P coda		107
MUN - P coda		108
NDI - P coda		109
SEO - P coda		110
SHI - P coda		111
WES - P coda		112
Coda characteristics, J	apan	
ADE - P coda		113

Figure Title	Figure No.
Coda Characteristics, Japan	
AQU - P coda	114
BOZ - P coda	115
CHG - P coda	116
CMC - P coda	117
DAL - P coda	118
DAV - P coda	119
IST - P coda	120
KBL - P coda	121
KON - P coda	122
MAL - P coda	123
MAT - P coda	124
MUN - P coda	125
NDI - P coda	126
SEO - P coda	127
SHI - P coda	128
WES - P coda	129
Coda characteristics, Philippine Islands- Taiwan	
ADE - P coda	130
AQU - P coda	131
BOZ - P coda	132

Figure Title	Figure No.
Coda characteristics, Solomon Islands- New Hebrides	
BOZ - P coda	151
CHG - P coda	152
CMC - P coda	153
DAL - PKP coda	154
DAV - P coda	155
IST - PKP coda	156
KBL - P coda	157
KBL - PKP coda	158
KON - PKP coda	159
MAL - PKP coda	160
MAT - P code	161
MUN - P coda	162
NDI - P coda	163
SEO - P coda	164
SHI - P coda	165
SHI - PKP coda	166
WES - PKP coda	167
Coda characteristics, Sumatra - Java	
ADE - P coda	168
AQU - No observations	169

XII

Figure Title	Figure No.
Coda Characteristics, Sumatra-Java	
BOZ - PKP coda	170
CHG - P coda	171
CMC - P coda	172
CMC - PKP coda	173
DAL - PKP coda	174
DAV - P coda	175
IST - P coda	176
KBL - P coda	177
KON - P coda	178
MAL - P coda	179
MAL - PKP coda	180
MAT - P coda	181
MUN - P coda	182
NDI - P coda	183
SEO - P code	184
SHI - P coda	185
WES - PKP coda	186
Coda characteristics, Tonga Islands - Fiji Islands	
ADE - P coda	187
AQU - PKP coda	188

Figure Title	Figure No.
Coda Characteristics, Tonga Island-Fiji	Islands
BOZ - P coda	189
CHG - P coda	190
CMC - P coda	191
DAL - P coda	192
DAV - P coda	193
IST - PKP coda	194
KBL - PKP coda	195
KON - PKP coda	196
MAL - PKP coda	197
MAT - P coda	198
MUN - P coda	199
NDI - PKP coda	200
SEO - P coda	201
SHI - PKP coda	202
WES - PKP coda	203
Coda characteristics, Turkey-Greece	
ADE - PKP coda	204
AQU - P coda	205
BOZ - P coda	206
CHC - P coda	207
CMC - P coda	208

XIII

Figure Title	Figure No.
Coda characteristics, Turkey-Greece	
DAL - P coda	209
DAV - P coda	210
IST - P coda	211
KBL - P coda	212
KON - P coda	213
MAL - P coda	214
MAT - P coda	215
MUN - PKP coda	216
NDI - P coda	217
SEO - P coda	218
SHI - P coda	219
WES - P coda	220
Coda characteristics, Iran-Turkey	
ADE - P coda	221
ADE - PKP coda	222
AQU - P coda	223
BOZ - P coda	224
CHG - P coda	225
CMC - P coda	226
DAL - No observations	227

XX

Figure Title	Figure No	•
Coda characteristics, Iran-Turkey		
DAV - P coda	228	
IST - P coda	229	
KBL - P coda	230	
KON - P coda	231	
MAL - P coda	232	
MAT - P coda	233	
MUN - P coda	234	
NDI - P coda	235	
ShO - P coda	236	
SHI - P coda	237	
WES - P coda	238	
Coda characteristics, Tadzhik-Hindu Kush		
ADE - P coda	239	
AQU - P coda	240	
BOZ - P coda	241	
CHG - P coda	242	
CMC - P coda	243	
DAL - P coda	244	
DAL - PKP coda	245	
DAV - P coda	246	

XVI

Figure Title	Figure	No.
Coda characteristics, Tadzhik-Hindu Kush		
IST - P coda	247	
KBL - P coda	248	
KON - P coda	249	
MAL - P coda	250	
MAT - P coda	251	
MUN - P coda	252	
NDI - P coda	253	
SEO - P coda	254	
SHI - P coda	255	
WES - P coda	256	
Coda characteristics, China-Nepal-Burma		
ADE - P coda	257	
AQIJ - P coda	258	
BOZ - P coda	259	
CHG - P coda	260	
CMC - P coda	261	
DAL - PKP coda	262	
DAV - P coda	263	
IST - P coda	264	
KBL - P coda	265	

XVII

Figure Title	Figure No.
Coda characteristics, China-Nepal-Burma	
KON - P coda	266
MAL - P coda	267
MAT - P coda	268
MUN - P coda	269
NDI - P coda	270
SEO - P coda	271
SHI - P coda	272
WES - PKP coda	273
Coda characteristics, worldwide events, 20° to 45°.	274
Coda characteristics, worldwide events, 45° to 80°.	275
Coda characteristics, worldwide events, 80° to 105°.	276
Coda characteristics, Kamchatka-Kurile Islands (5.0 < m < 5.8)	
NP-NT - P coda	277
RK-ON - P coda	278
WWO D gode	270

XVIII

LIST OF TABLES

Table Title	Table No.
Earthquake Epicentral Regions	I
Station Information - Worldwide Network	II
Events Analyzed, Area I, South America	III
Events Analyzed, Area II, Central America	IV
Events Analyzed, Area III, California and Western United States	V
Events Analyzed, Area IV, Alaska	VI
Events Analyzed, Area V, Aleutian Islands	VII
Events Analyzed, Area VI, Kamchatka-Kurile Islands	VIII
Events Analyzed, Area VII, Japan	IX
Events Analyzed, Area VIII, Philippine Islands-Taiwan	X
Events Analyzed, Area IX, Solomon Islands- New Hebrides	IX
Events Analyzed, Area X, Sumatra-Java	XII
Events Analyzed, Area XI, Tonga Islands- Fiji Islands	IIIX
Events Analyzed, Area XII, Turkey-Greece	XIV
Events Analyzed, Area XIII, Iran-Turkey	xv
Events Analyzed, Area XIV, Tadzhik-Hindu Kush	XVI
Events Analyzed, Area XV, China-Nepal-Burma	XVII
P and PKP Coda, Station and Region Totals	XVIII
Events Analyzed, Worldwide Distribution, 20° to 45°	XIX

XIX

LIST OF TABLES (Cont'd.)

Table Title

Events Analyzed, Worldwide Distribution, XX

Events Analyzed, Worldwide Distribution, XXI

Events Analyzed, Worldwide Distribution, XXI

XX

INTRODUCTION

In this report we examine coda characteristics for earthquakes from 15 seismic regions as recorded at 17 World Wide Standard Seismograph Station (WWSSS). Whenever possible, events with body wave magnitude $\rm m_b \geq 6.0$ were examined, since the coda for large events stay above the ambient noise level for relatively longer time periods.

In this report, we present the average coda determinations and their standard deviations, and some general observations on coda characteristics. These data can be used, for example, to determine how often the signals from one event are masked in the coda of another event.

Using the list of seismic events compiled by the National Oceanic and Atmospheric Administration (NOAA), earthquakes with $\rm m_b$ > 6.0 were selected for each region shown in Figure 1 (Table I). Film chips of seismograms recorded for these events by 17 WWSSS stations (Figure 2, Table II) were then ordered from NOAA for study. For reasons related to seismogram quality and station outage, the original list of events was supplemented with events of $\rm m_b$ < 6. Summary lists of the events studied, together with the stations used with each event, are given in Tables III through XVII. Table XVIII summarizes the data analyzed by station, region, and phase (P or PKP).

ANALYSIS TECHNIQUES

The method used to determine coda decay characteristics is shown in Figure 3. Amplitude measurements, scaled relative to the largest excursion in the P or PKP coda, are made in a specified set of successive time windows. Measurements are made until the coda decays into the pre-existing ambient noise level, or until a period of 15 minutes has elapsed from the time of coda onset. In a few cases, measurements terminated with the arrival of a second event.

The principal coda maxima are next plotted on loglinear paper, and the coda envelope obtained by connecting successive determinations. For example, the coda measurements of Figure 3 yield the coda envelope shown in Figure 4a. If the coda measurements for a set of events from a given region are plotted for a station, a graph similar to that in Figure 4b may be obtained. The coda characteristic for events from a given region as recorded at a particular station may then be defined in several ways. One might construct an envelope which allows 5% (or one) of the coda determinations to fall below the curve specified. Alternatively, as is done in this report, the average coda can be determined and a statistic associated with the spread in data.

RESULTS

Coda decay characteristics for events in the 15 regions studied are given in Figures 6 through 272 (see List of Figures for a breakdown of figure numbers by region and station). The individual coda are shown by dotted lines, while the solid line shows the average coda decay curve. The table accompanying each graph lists the average coda values and their corresponding standard deviations (in units of m_b) as a function of elapsed time. In determining the average coda decay curve, coda observations for a given event were terminated at the minimum coda value observed for that event.

Whether the P or PKP coda is given for a station depends on the station's distance from the events analyzed. In some cases a station will see P for events in one portion of a region, while PKP will arrive first from events in another portion. Where this occurs, two graphs of coda characteristics are given. One observation to be drawn from these data is that coda characteristics are not strongly influenced by epicentral region, they are controlled primarily by the arrival times of significant secondary phases. To illustrate this, we cite below several types of coda characteristics, grouped by epicentral distance:

I 20° - 45°

II 45° - 80°

III 80° - 105°

In the first distance range, 20° to 45°, reference to the travel-time curves for P phases (Figure 5) shows

that the secondary phase PP should arrive up to 2 minutes after the P phase. Further, one might expect a third arrival, PcP 4 to 2 minutes into the P coda. Between 35° and 45°, ScP is observed 5 to 6 minutes after the arrival of P. Though not shown in Figure 5, between 6 and 20 minutes into the P coda, surface-wave arrivals should be observed. This characterization is seen, for example, in the coda determined for California-Western United States events recorded at CMC (Figure 48, 25-42°), for Solomon Islands-New Hebrides events recorded at ADE (Figure 149, 30-34°) and for Iran-Turkey events recorded at NDI (Figure 235, 19-35°). These data, together with other well-determined coda characteristics for events recorded at epicentral distances between 20° to 45° (Table XIX) yield the results shown in Figure 274. The average coda decay curve has a representative standard deviation of about \pm .25 m_h units.

One caution should be noted in using the coda determined for the range 20° to 45°. While high coda levels are observed in the P coda due to the arrival of surface waves, these arrivals have periods on the order of 1 to 3 seconds, and sometimes greater. As such, despite the high amplitude of the surface wave arrival, the arrival from an explosion, due to its shorter period, may be distinguishable in the surface-wave background. Use of coda where large-amplitude suface-wave arrivals are present therefore, will lead one to overestimate the number of masking opportunities. We suggest that in computing masking opportunities, large-amplitude surface-wave arrivals should be omitted, and the coda allowed to

decay at rates determined elsewhere in this report.

In the distance interval 45° to 80°, PcP is the first secondary arrival which is both predictable and significant. This phase arrives between 2 and 0 minutes after the P arrival in the distance range considered, and precedes the arrival of the somewhat less significant PP phase by 0 to 3 minutes. Representative coda for epicentral distances of from 45° to 80° include the coda for Kamchatka-Kurile Island events recorded at BOZ (54-63) for Japan events recorded at NDI (51-61°), and for Philippine Island events recorded at SHI (60-78°). These coda sets, together with those listed in Table XX were used to produce the 45°-to-80° coda representation shown in Figure 275. The average curve determined from the composite data set has a standard deviation of about + .25 mb units. For elapsed times between 4 and 10 minutes, the coda decay constant λ is .0017 per second ($e^{-\lambda t}$; t in seconds).

With respect to the distance interval 80° to 105°, we find, first, that between 80° and 90°, P and PcP arrive almost simultaneously; the largest coda amplitude, therefore, is generally found in the first 30 seconds of the short-period record. An example of coda in this range is the data for Kamchatka-Kurile Island events recorded at WES (Figure 112). Beyond 90°, P becomes weaker, and both P and PP, the latter delayed 3 to 4 minutes relative to P, control the coda characteristics (see, for example, the data for South American events recorded at CMC (Figure 11)). Using the data given in Table XXI, we obtain the average 80° to 105° coda representation shown

in Figure 276. The nominal standard deviation is \pm .25 m_b units. At elapsed times between 4 and 9 minutes, the average coda decay constant is .0037 per second.

Beyond 105° a great variation in coda characteristics as a function of distance is observed. For example, between 105° and 110°, the first arrival, which may or may not be observed due to its low amplitude, is diffracted P. This arrival is followed about 4.5 minutes later by PP, which is the largest-amplitude phase in the P coda in this distance interval. The coda decay curve shown in Figure 6, obtained from a South American event recorded at ADE ($\Delta \sim 107^{\circ}$), exhibits these characteristics.

In the distance interval 110° to 120°, it may be possible to observe weak diffracted P signals as the first arrival. The arrival of this phase, if it is observed, will be followed about 4 minutes later by the arrival of PKIKP, the largest-amplitude phase in the short-period seismogram. Approximately 1 minute after the arrival of PKIKP, PP will arrive, followed approximately 3 minutes later by the arrival of SKP (PKIKP-SKP~4 minutes). The coda characteristics observed at DAL for a large (m_b = 6.6) Tadzhik event (Figure 244) display these features.

Between 120° and 140°, the first arrival, PKIKP, is the largest amplitude phase on the short-period vertical record. Following this arrival by approximately 3.5 minutes is the phase SKP. SKP is also of large amplitude, and is more readily observable than PP, which can arrive up to 2 minutes earlier than SKP in

this distance interval. Examples of these characteristics are seen in the coda determined for Central American events recorded at NDI (Figure 40).

In the distance interval 140° to 150°, PKP₁ and PKP₂ arrive almost simultaneously, producing a large-amplitude first arrival. Approximately 3 minutes into the PKP coda, PP arrives, followed shortly thereafter (~0.5 minutes) by the arrival of SKP. Several of the PKP coda observed for Central American events recorded at CHG exhibit these characteristics (Figure 29). Though not apparent in Figure 29 (due to the manner in which the coda are quantified), PP is dominant over SKP in this distance interval.

Beyond 150°, the first arrival is PKP₁, followed up to 2 minutes later by the arrival of PKP₂. Of the two, PKP₂ is stronger. PKP₂, in turn, is followed approximately 3.5 minutes later by the arrival of PP. The coda for South American events recorded at CHG (Figure 10) exhibit these characteristics.

A second finding of this study is that coda determined from large events $(6.0\%_b\%7.0)$ appear applicable to smaller events as well. To see this, we show in Figures 277 through 279 some earlier coda determinations for Kamchatka-Kurile Islands events recorded at NP-NT, RK-ON, and WMO. These coda were determined for events in the magnitude range $5.0\%_b\%5.8$. Compare the NP-NT coda with the coda obtained at MUN $(6.0\%_b\%6.7$; Figure 162) for Solomon Islands-New Hebrides events. Both sets of determinations have their peak values in the first 30 seconds of the seismogram, thereafter

falling to a relative minima (10% to 40%) at an elapsed time of about one minute. A relative maxima (20% to 50%) is observed for both data sets between 1.5 and 2.5 minutes, most probably related to the arrival of PcP. Following this relative maxima, the coda decay to values on the order of 5% to 20% at an elapsed time of 5 minutes. For comparison, the average coda decay curve determined for the MUN data is superimposed on the NP-NT data. Given the spread in observations observed for the MUN coda (~.3 m_b units), we can not reject the hypothesis that the average coda decay curve determined from the MUN coda is representative of the average decay characteristics for the NP-NT data.

Similar observations can be made using the Kamchatka-Kurile Islands coda decay curves determined at RK-ON (Figure 278) and the Alaskan data obtained for KON (5.7 \leq m_b \leq 6.8; Figure 71) and using Kamchatka-Kurile Islands data from WMO (Figure 279) and IST (5.8 \leq m_b \leq 7.0; Figure 103). These comparisons suggest that the average coda decay curves presented in this report should be applicable over a magnitude range of at least 5.0 \leq m_b \leq 7.0.

CONCLUSIONS

From an examination of P and PKP coda for earthquakes from 15 seismic regions as recorded at 17 World Wide Standard Seismograph Stations, we conclude:

- 1. Coda for events in a given region recorded at a given distance are found to be very similar to the coda for events from another region recorded at the same distance. That is, coda characteristics are determined primarily by the arrival times and amplitudes of significant secondary phases.
- 2. Coda characteristics determined for large events $(6.0\% m_b^{2}.0)$ appear applicable to smaller events $(5.0\% m_b^{2}.0)$ as well. The average coda determinations presented in this report, therefore, are representative of coda for events in the range $5.0\% m_b^{2}.0$.
- 3. Using data in the range $45^{\circ}<\Delta<80^{\circ}$, the long-term P-coda decay constant λ for elapsed times greater than 4 minutes is .0017 per second (e^{- λ t}). In the range $80^{\circ}<\Delta<105^{\circ}$, the decay constant is somewhat larger, being on the order of .0037 per second.

REFERENCE

Herrin, E. (Editor), 1968, 1968 Seismological tables for P phases: Bull. Seis. Soc. Am., v. 58, No. 4, August.

TABLE I
Earthquake Epicentral Regions

REGION	LOCATION	LATITUDE (RANGE DEGREES)	LONGITUDE (RANGE DEGREES)
I	South America	10N-40S	65W- 81W
11	Central America	5N-20N	81W-109W
III	California and Western United States	20N-45N	109W-131W
IV	Alaska	55N-65N	143W-160W
V	Aleutian Is.	50N-55N	160W-170E
VI	Kamchatka-Kurile Is.	42N-57N	145E-167E
VII	Japan	9N-45N	136E-145E
VIII	Philippine IsTaiwan	10S-33N	120E-132E
IX	Solomon IsNew Hebrides	1S-23S	136E-175E
X	Sumatra-Java	15S-20N	90E-120E
XI	Tonga IsFiji Is.	15S-38S	J71 -175W
XIT	Turkey-Greece	33N-47N	8E- 36E
XIII	Iran-Turkey	25N-45N	36E- 66E
XIV	Tadzhik-Hindu Kush	27N-42N	66E- 80E
XV	China-Nepal-Burma	20N-50N	80E-110E

TABLE II Station Information-Worldwide Network

	Z	31 Dec 68	47		r 68	69 u	09 4			69 4	69	69	24 May 69	3 5	2	99	31 Mar 68	000 67		6	69	Now As
	DATES OF OPERATION	1 00	TO NOV 67	2	Ol Mar	1 Jun	MAT	1		£	Me,	Api	ź			בשר ה	K	0		Ē	30 Apr 69	Non
	OPER					0	m															9
ě	5	62	Apr 62		63	. 63	63	3	;	č	62	3	62	4.3		0	62	63	14	3	63	19
-		01 Apr 62	ABI		Ž	ž	Apr	Sea		7	Jan	Jun	26 May 62				ž	Apr			è	000
è		6	0.5		2	0	07	16		5	01	0	26	0.7		5	2	3	0.0		•	0
ELEVATION		^ ^ 0	720	1676		416	31	187	3	3	92	1920	200	9	740		533	230	- 98	1605	1393	9
LONGITUDE (Deg Min Sec)	138 42 42 OF	20.00	24 11.0E	. 38 00 OF		30.76 96	MO.00 S	02.0W	1 29.0E		00.0E	35.4E	9 37 55.0E	40.0¥	32.0E	34 05	20.05	00.0E	00.0E	14 DE		19.5%
D.	3			2			0	4	ň	-	2	0	37	77	12	1.3	•	13	28	5		67
900	1		13	111			115	96	125	3.0	9 (0	0	•	138	114		11	126	52		1/
Sec.)	01.05		NO. + 1	NO.00	MU TY		.0	NO. 91	. ON	NO 91			36 57.0N	NO 6	NO.0	20.0		5	0.0N	NO. 6	NO	
	58	:	17	36	17			20	. 50	02 1		770	2	43	32 3	5.8.3		•	2	5 3		
(Deg Min	34	13	•	45	=	7	3	35	^	41					36				37		42	
LOCATION	Melaide, Australia	Mquile, Italy		ocean, sontana	Chiengasi, Thailand	Copper Mine, Canada	Dallas Tovos		oreco, railippine 18.	stanbul, Turkey	Kabul, Afganistan	Konesbere Norvey	Malace Cook		Matsushiro, Japan	Mundaring, Australia	New Delhi. India	Contract Land	10101 11000	niraz, iran	Weston, Massachusetts	
STATION	ADE	AQU.			- - -				-	151			MAI.			_		-				

			ES	70	7.4	5	9	*	21.	6	53					
			SHI	131	101		.621	124	24	24.	132	32.	127			
			9	162	. 19		.09	•0		:	39	-	-			
			티	152.	-		1 .15	143. 1	_	•	5.2	.2				
																•
				• •				135					152			
				06				76								•
					113	93		90	3	920		103				
		ATION											141	140	123	787
					118			102		103		111				
			¥ I			163		159								11 6
				64.		•	70.						-			
_	ERIC	}		66												•
AREA I	SOUTH AMERICA	2						103		.7						-
	SOU			0									1			•
							•									•
				104							105					.0
				107		128	1	128	129	122	671	1119				•
		ď	1;	9.9	9	0.9	9.0	77.	.0.	6.5	9.5	 		9.0	6.0	
		S DEPTH														
		80	1			Ā " '	="	8	"=	m) Q		13.3	19	7.	7	
					4	A	ŀ		6	1	Ą	ij	ij	**	ä	
		38	-	n.n.	**		•		*	-			31	25	•	:
		TUDE	56.	94	8.	XI:	į.	84		14	Ľ,	14	45	23	=	Events by Station:
		39	4:	42		4		- 2	•			Ħ	•	2*	•	by Se
			7.0		2.5	4.6	7.7		9.	. 7	5.5		59.2	70		nts
		GIN 1	22	m	10	30		11 02 11			2 5	2	2	76	=	
		2 7	22	2	770	100	15.2				21 3	00	22:	18:	7	Total
		i	3.5	25.	. S. S.	9 5	3	25	7			.		• •	•	
		ATE	761	į.	Nov	Jul A	Feb	i i		Nov	Nov 6	Dec 6	Sep	9 40	6	
			21	22	10	10	2:	111	67	3	21	27	22	12	5	

TABLE III Events Analyzed

TABLE IV	Events Analyzed	AREA I.
	Щ	ر

MES	34.	36.	35.	34.		
SHI	125	123	126	123	. 921	
SEO				122		
IQN	135	139	138	137	135•	
NON	144	144		151	. 9	
TA I	107	103		.911		
K		84.	76.			
KON	**		200			
STATION IST KBL				127	127° 130° 128°	128
	6	105		100		
AVO	133	149.		143.		7 2 7 6 1
DAL	23.	. 92	26° 1			,
8		• • •	29.			
8	142	140	28.85			•
202		9			•	•
NO.				68		-
ADE 125°	128	125•	125	133		,
ي ام	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	000,0		766	rnno	7
	36 2 36					
100			***	SAR	IRRE	
(Begg	****	1222	202	200	2225	••
(Degrees)	15.38 15.38	NS - 0 0	10.54 10.94 10.94	17.6N 16.6N	12.9N 12.3N 12.9N	otal Events by Station:
Sec Sec	2025	20.7		999	790 790	ents b
Min Min	2006	242	299	79:	115	al Ev
유 <u>리</u> 28	8788	222	1828	213	0000	Tot
Jul 64	66.65 88.88 88.88	999				*
21 No. 24	23 Aug 24 Aug 18 Oct 99 Dec	15 Per 15				

								. 72		2	• • • •	-					
SHI			101	201													
SEO			75.	2				.00	. 4	0			10	•			
NDI	12.	3	102	701													
NO.	•		17.7	77							47.	è					,
MAT	Ì							9 1 8	3	. 70		9 6	70				
K.								. 98	2 2	1 2			• 1	2			ļ
KON		70	1										710	4			
														175	1210	112	,
STATION IST KBL			. 8 8									.00	. 20				
DAV																	į
DAL				24.	•	24.				24.	27.	•					,
96)		.07	27*			30	28.	25.	•					
CHG		19.	,					20.	116								•
B02					18.	11.					12.)					•
o No										.68							•
ADE			20.														•
م					-	9	9	m		•0	-			0	٠		•
H (19																	
LONGI TUDE (Degrees)	110.2W	117.1W	122.4W	125.7W	115.0W	125.5W	120.7W	114, SW	114.2W	124.6W	128.8W	116.1W	127.91	109.3W	109.8W	116.3W	
d	26.2N																lotel Evente by Station:
Sec	57.8	5.3	3,3	2.6	2.8	1.8	0.1	6.7	6.1	0.3	5.8	8.9	3.4	1.3	7.2	5.9	
	07 5																al Ev
25	19																Total

16

TABLE V
Events Analyzed
AREA III
CALIFOANIA AND WESTERN UNITED STATES

PARTE NATIONAL LAW CITTURE LAW		WES	Ļ.				51.	• 23			•	,	51•		:	. 6						
ONGIN THE LATTING LONGTING BETT AND																,						
Column C				.06			.				•	•	o							•		
Column C				N.		:							•									
Part													60			8 2						
Action Color Col																				119		
Column C			4													50	8	21.	\$2.			
TABLE VIEW TIME LATITUDE LONGITUDE DEFTH NAME LANSIA L						•	79						82			78				18		
TABLE VIEW VIEW TABLE VIEW VIEW TABLE VIEW TABLE VIEW TABLE VIEW TABLE VIEW					63	•	70	62 63			63					5.8						
TABLE VIEW VIEW TABLE VIEW VIEW TABLE VIEW TABLE VIEW TABLE VIEW TABLE VIEW		KBL																		.9/	82.	81.
MANUAL M		IST IST	•				7	83.			82					11.		.85	•			
TABLE VI		DAV		74.		.0	3	79				•							•	10		
Continuation Cont	70	N.	•								45											,
Continuo	nalyz IV	3			200	07			20.	20.	20.	20.		15.								į.
Continuo	TABLE nts A AREA ALAS	8						8 3			.78				85.	8 2			. 5	}		
Part	Eve	208	27°			25.	27.	28.	25.	17	28.	27°	26.	. 47								
DATE Hr Min Sec Cogress Cogr		·																83.				
PATE CRICIN TIME LATITUDE LOWGITUDE DEPTH PASS CONTINUE CONTINUE CANTITUDE CONTINUE CANTITUDE		9																				•
DATE			40.		000	2.2	N. Y				-	3 0	~	9	201	- 9	v →	7.	, n	0,		
DATE ORIGIN TIME IATITUDE Feb 64 Hr Min Sec (Degrees) Jul 64 18 18 18 18 18 18 18 18 18 18 18 18 18				2 2 2	33 23	19	52 28	333	34.	200	33	22	53	•	A 40 V	o N :	•	ю.		~ •	h v o =	
Apr 66 19 25 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		LONGITUDE (Degrees)		8		23	10.11	1	4	10.00	9							1	20.02	130.10	150.48	
Apr 66 18 20 20 20 20 20 20 20 20 20 20 20 20 20		(Degrees)		22	22	ēn.	. 5	33	31		57.0k	\$7.38	33	2	4	Z.		33	28.78	25.00	12	by Station
DATE Feb 64 Nay 65		Sec Sec 25.2	33.3	18.6	45.2	40.1	23.0	07.9	39.0	11.8	15.3	20.5	53.7	51.7	0.0	6.5	5.0	5.7	4.5	2.0	6.1	
DATE Feb 64 Feb 64 Feb 65 Jun 65 Sep		Min N	2112																			
DATE Per		유취되				212	32	14	18	18 23	100	23	:	13	202	7.5	22	12	20	770	170	Tot
NOV		9	66.4 5.4 5.4	1 65	n 65	902	65	99			99	99	99	99	99	67	67					
		7.00	D 1/2 1/2	-			2 Dec	2 Jan	9 Apr					S Aug	Aug Oct	Feb	J.			No.	Nov Nov	

NES.	71.	70	, 0	70.			.89	62			•
E	0		, , 10	87.			80 80	87			**
SEO	2		2/5	38			37	9			7
NO	72	72.		75.			73.	90.			7
NGN	•66	•66		• 86							*1
M			30	30.	42	39.		34.			~
3		93•		• 16				•06			iri
KON			5	-04			. 69	.69			4
				,					201	73.	
STATION IST KBL		85.	. 58	• S 88			*				
AVI		4					63.				ı,
DAL		3						.09			ı,
Ä			e.	7.	3		•				
OK		,					36	34			'n
	-		÷		72		71	76			•0
10			•				47	43			S
릵			2								•
4	žż	11		2			92	L			7
•	2.0.9	9.0	900	N 10 V	N. N. N.		80.0 80.0	99	8.5.0 0.1.0	8.50	;
Ea	221	222	200	4 24	25:	18 25	141	202	37 Y	242	:
(Degrees)	178.6E 173.4E	177.9E 175.0E	167.7W	175.5E 178.3E	165.5W	170.6W 171.9E	178.4W 176.0E 179.9E	169.7W 178.3W	174.1W 164.6W 175.7E	175.8E 179.4W	
(Segrans)	51.3N 51.4N	\$0.6N \$2.2N	53.1N 51.9N	50.1N	53.0N	51.4X 52.9X	51.5N 51.1N 51.7N	52.8N 51.4N	54.3N 51.6N	\$1.6N \$1.2N	Total Events by Station
24			40.	13.1	27.0	50.0	53.3	20.8	33.6 57.9	45.2	vents
Mr. Ma	202	22	. 20 58 04 26	05 09 08 52	146	02 11 00 11	14 46 03 27 18 33	10 45 03 55	15 48	15 46 09 07	Total i
DATE	4 Feb 65 7 Feb 65	Mar 65 May 65	2 Jul 65 2 Sep 65	7 3ep 65 1 Oct 65						Jec 68 Jan 69	

TABLE VII
Events Analyzed
AREA V
ALEUTIAN ISLANDS

	MES 886 886 85	9	.62	0 0 0 0 0 0 0 0 0 0 0 0	
	SHI 75	76.	75•	9 9 2	
	SEO	58	23.	20.	
	NDI 09	•	61.		
	SO SO	8		•	
	TAX.	20.		13.	
	\$!	0 0 0 0	• 26	• 26	
	71.	11.	69	712.	
	KBL			00000000000000000000000000000000000000	5
	STA1	77	78.		
u.	AY	55.		• 6 • 6 • 6 • 6 • 6 • 6 • 6 • 6 • 6 • 6	
TABLE VIII Events Analyzed AREA VI Kamchatka-Kurile Islands	DAL		.92		
TABLE VIII Events Analyzed AREA VI atka-Kurile Isl	8	• 0			
TABLE VIII ents Analy AREA VI ka-Kurile	뜅	61.	51.	* • ਅ ਯ	,
TA Even A hatka	201	9 5	59.09	• • • • • • • • • • • • • • • • • • •	•
Kanc	₩ 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		v & v	27 80	•
	ADE 1	910	84.		•
	00000 00000			**********	•
	287 25 20 20 20 20 20 20 20 20 20 20 20 20 20 2	င်းစုံ မို ကို မို ကို ကို မို (၂)	เพ่งเหตุ	ท ี่ที่ที่ที่ที่ที่ที่ที่ที่ที่ที ่ที่ที่ที	,
	4	101 102 102 103 103 103 103 103 103 103 103 103 103	162 162 111 45	12222222222222222222222222222222222222	
	(Degrees) 151.9E 146.8E 146.1E 150.4E	146.78 166.98 186.98 186.98 187.98 181.88 189.98	155.1E 150.8E 154.3E 145.8E	156.28 157.38 151.35.38 151.35.38 151.36.48 166.48 167.38 157.38 168.38 168.38 168.38	
	d	555.28 55.28 55.38 56.38	5444 547 547 547 547 547 547 547 547 547	4 4 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	by Station:
		47404644 048864	00000	00000000000000000000000000000000000000	
	7 6			2000 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
	R 7 2 8 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2			124001002227324 2240010022277324	Total
				00000000000000000000000000000000000000	
	DATE 01 Jan 31 May 23 Jun 28 Jun 28 Mar			111 Jan 101	
	ONMAN			PHOOGEN THE COOLOR	

NES 95.

93.

.06

20

		AIWAN
TABLE X	Events Analyzed	PHILIPPINE ISLANDS-TAIWAN

	WES	1	137	139										135			130					137			761					
	SHI	9	0		72	9													70					•						
	SEO	1	38		900	•	45.		•	/ 1												39								
		39																	20.	3	,									51.
		25:																		.95	. 45	31,								+ 1•
	HAT	1						27.	31	17		14.	39	.72	•															•
	MAL			128.																102		119								
		.08																											,	• 96
NOL																													,	9
STA	ST	76			- 76															77.	78.			•	1	17.			95.	
	DAV					•														17.					•		Š		.	5
	DAL												1111	•								131.								
										•	•				•				•.							•			• . (
	뜅	_		•		•	•	•			94				77.				28 102			103				78			101	
	2			- 7	3	3,	3	-	23						•	•	•		21											29-
	링														92	115	114.	114			95									105
		58. 86		•	•																•	•							•	
		6.1 60		2			s	۰.	. ~	1	0	• •	0 0	. =	•	_	n		0 39	~ ~		0 37	m.	•	3 44	-	0	nı		450
																									M.					М.
DEP		33	36	165	9	16	576	9/	1 10	33	179	250		175	77	132	93	162	2	9 K	2	45	15	507	39	117	2	9:	2,4	ò
LONG! TUDE	(Defrees)	120.SE 127.2E	122. SE	129.8E	128.1E	125.8E	123.1E	125.7E	121.4E	126.8E	126.SE	174 15	127.9E	125.9E	125.2E	129.2E	130.4E	123.7E	120.ZE	122.6E	122.8E	122.4E	122.0E	124.6E	125.0E	122.SE	127. 3E	175.15	176.15	7/001
LATITUDE	Degrees	23.1N 1.6N	S# .	5.55	N. I.	N.	7.05	7 05	21.2N	X	7. IN	NC OF	1.15	4.1N	25.4N	7.35	6.15	3.		24.1N	23.8N	.9S	200	7.25	7.3N	24. BN	2.4N	9.	27.	20.0
HIL	200	40.0	9.0	00	6.2	1.7	1.7	-	9.1	5.9	5.0		2	3.7	7.9	0.6	9.7	6.	2	39.0	4.7	*	**	3.6	2.1	9.5	0.0	•	•	
•	HIL	22	9:	200	56	19	7	9 -	100	27	20	;;	20	32 1	98	90	31	7 77	2:	21 S	3	60	100	29	7	20	12 1	77	100	3
8	Ė	222	13	21	17	60	200	3=	03	8	25		21	7	17	15	23	8	3;	110	8	88	2	50	77	9	77	17	10	3
	DATE	18 Jan 64 28 Mr.: 64	30 Jun 64	11 000 64	01 Nov 64	01 Aug 65	09 Aug 65	14 Aug 65	06 Sep 65	14 Sep 65	16 Sep 65		1.7	1	-	_	21 Nov 65		ī.	12 Mar 66		7		22 Jun 66	27 Jun 66	01 Jul 66	01 Jul 66	00 Env 81	21 Aug 66	20 200

NES 132°	
IN I	
SI SE	
NA.	
36 •	
¥	•
121	
KON 102.	•
STATION SI KBL 51. 51. 59.	U
STA 151 96•	•
DAV	o
125°	
	6
95	_
204	
YOU	_
	_
92250	0
(Ka) (Ka) 27 27 559 559 591 533 53	
ONGITUDE Degrees) 128.46 122.66 125.66 127.16 127.16	
	tion:
LATITUDE 2.4N 15.9N 4.1N 1.7N 7.3S 8.8N	by Station
	its by
23.55.55.00 23.55.00 23.55.00 23.55.00 25.00 25.	Events b
URIGIN TIME Hr Min Sec. 21 15 52.8 09 54 45.9 07 28 55.8 17 19 23.1 01 47 29.6	Total
DATE 08 Sep 66 28 Sep 68 05 Jan 69 21 Jan 69 20 Mar 69	

TABLE XI
Events Analyzed
AREA IX
SOLOMON ISLANDS-NEW HEBRIDES

	WES					123	126								124	127		121	125	124			125	123						c
	SHI		68	123		119	103	100										117												
	SEO	1	7															62												
	NDI			- 71	•	_																								
																		. 96												12 11
	MEN		•			1											0	27				36	49	20						
	MAT								57	29	59		*		61.															•
	3															142			121	151			164	156	137					
	KON				111	200	071								135			. 26	071	971			140	131						
																										03	12.	75	83	5 7 6
STATION	بر اخا				. 71		2.										:	1 200					7	2		_	_		7	
	≃ >		Ť	•		•		i																7						10
	≱l					• []								•	9 6	67	7	0 0	1	2			75							7
	DAL						11 20	777																						1
1							0.20						.00	85	. 70	9		97.			0			0 0	,					**
9	2	. 91											-	-	•			_							•					•
	202					2.	•								• 00					•	•		. 70							
;	₹ 		1. 9			0.0	7.							ò	ŏ	•							6	•						9
						7	12	1																						M
															3.2	1		•		1)	310	•	10.	3					•••
ď	1	6.3	6.7	6.4	9.9	6.4	6.7	5.7	5.7	5	2	8	9	9	6.2	9	6.2	6.1	6.2	6.2	9	7.9	9						2	
E THE		33	141	49	121	69	45	237	34	M	47	75	190	31	28	112	256	31	33	3	39	161	132	7.4		0	20	7	206	
		76	36	7	6E	30	7E	OE	SE	36	6E	7E	36	36	SE	15	1E	8E	1E	7E	8E	SE	1	36	78	4	T C	1 (L)	5 E	
(Degrades)		139.	169	154.	167.	154.	150.	167.	167.	166.	152.	153.	167.	167	151.	149.	167.	160.	161.	166	138	170	167	143	166	171	1 7 8	164	147.2E	••
(Degrees)		. 25	•7S	. 35	.55	Se.	.7S	. 2S	. 9S	. 8 S	. 2S	.25	98	.75	.45	. 8S	.25	.45	. 2S	. 85	.55	6S	. 0S	.85	.35	25	75	35	5.65	tation
	•		20	0	15	S	S	13	15	15	S	S	15	17	5	S	12	10	10	13	7	21	7	4	12	22	7	10	Ŋ	Fotal Events by Station:
Sec		32.5	57.	02.5		20.0	39.3	12.4	55.3	47.1	10.4	53.6	12.2	27.2	37.2	09.7	38.4	45.8	52.2	54.5	23.8	10.8	58.2	52.1	34.1	31.1	10.1	35.2	17.6	Vents
Hr Min	:	70	8 0	9	2 (2	15	47	9	0	=	9	39	18	02	21	80	29	32	9	7	55	26	07	60	9	9	7.	24	al E
Ë	1 8	07	1	9 4	9	70	0	0	0	1	=	21	10	03	0	0	18	8	5	71	60	15	3	77	8 7	15	18	12	90	Tot
	;			5			*	59	92	9	9	9	99	99	99	99	99	99	0	99	99	99	99	99	200	200	*	65	29	
ATE		Tan I	1		7	dec	NON	Inv										Jun C												
-	1	35	9 6	8	200	2:	1	5	2	*	17	03		91	77	10	13	15	?	53	2	04	01	1	17	76	02	20	10	

	yzed	
_	- 2	-
_	=	X
×	18	×
BLE	٧u	REA
2	103	2 F
ĭ	t.s	4
H	Even	CIPA

NES.		138 • • • • • • • • • • • • • • • • • • •	
SEL	61 61 61 61	433	
SE0	0, 0, 00	9 9 9 9	
NDI 46 43 47	44 .	30.	
MUN 26° 26°		34.	
TA.	553.	52.	
W.		96.	
KON		92.	•
KBL		N 4	
STATION 15T KBL 86° 87° 87°	-62	95.	
DAV 21° 27°	25°	20° 21° 29° 25°	
146. 21. 148. 27. 24.	147*	142.	•
CMC 1113*		11113	
CHG 27* 1	25.		4
BOZ 129° 2 131° 130°		18787	•
AQU BG	13	125° 125° 125° 123° 127°	0
			0
30. 30.	42	23.25	7
		6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	
DEPTH (Km) 125 242 35 504	33 33 33 11 11 11	600 609 609 86	9
ONGITUDE Degrees) 107.4E 109.1E 102.7E 110.2E	103.2E 96.2E 104.2E 114.5E 1103.8E	113.16 112.36 115.56 101.56 116.96 1120.96 119.76	112.0E
(Degrees) (6.85 6.85 6.75 5.65 6.55	5.55 5.95 12.68 6.15 6.35 6.35	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9.1S by Station:
IF MIN Sec. 14 33.5 50 41 33.5 42.2 5 48 57.1 56 03 58.9	35 50 4 1 1 2 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2	14 95 2 2 4 4 19 19 19 19 19 19 19 19 19 19 19 19 19	ls 25 58.9 9.1S Cotal Events by Station
2618821 E.S.	02200111111111111111111111111111111111	2000010177	To
DATE Nov 64 Jan 65 Feb 65 Apr 65		Reb 67 Mar 67 Mar 67 Mar 67 Mar 68 Jun 68 Jun 68	200

TABLE XIII
Events Analyzed
AREA XI
TONGA ISLANDS-FIJI ISLANDS

	WES			125			117					127				122					
	E 1		1 26.	135			132° 1			136	136	135	1 27 *								
	SEO SEO			• 1			77	8.2	75	85.	79.	2/2	8.2								•
			114	115			1111	116		116.	114	115	116°								۰
	S S		.09	\$ Z &			285	61.		. 95	29	16	.09								
	Ĭ				69							. 69	74.	20.							0 4
3	Ž							164			701	157									
	5		143	154							140	136	144								
STATION			•							•		•		•	•		122	121	123	771	9
			152			140					101	148	153	15.	148	156					60
DAV			64.			61	5	.99		0			.59								S
	2																				7
Ü	- 86	93	101			100	95.	101				93	101	97.							10
CHG		Į	92.	2				• 16		92.	93.	93.									•
302	87.		90	5				89	07.	87.	03.	82.									80
Yon	157			•							-	152									··
ADE	33.		41.	2		39.		42	37	43.	32	47	41.								12
٩	6.0	5.9	7.0	5.4	ر د د د	6.2	5.7			S. 08	8.5	9.0	7.5	6.1	0.5		5.3				_
DEPTH (ME)	22.23	51	107	33	190	626	117	532	9	96	76	180	19 225	33	112	96	33	33	33		
LONGI TUDE (Degrees)	174.14		179.61	174.99	174.88	179.20		178.74	177.88	175.18	1.8	170.8	13.4	174.88	178.48	175. 10	173.50	173.5	1.1		ı.
(Degrees)	33.85	9 4	36.65	27.13	14.35	200		17.45	20.52	2	25.63	14.85	11.53	27.38	36.85	20.05	50.00	25.55	16.65	by Steeling	-
ORIGIN TIME Hr Min Sec	18 05 58.6 20 24 56.0	21 21 50.9	04 47 34.9	01 26 52.5	11 39 25.5	07 47 50 3	11 47 33.1	01 22 02.9	10 00 39.1	05 01 09.4	07 05 48 6	12 40 12.6	06 16 21.9	16 22 48.5	07 23 07.8	11 15 46.3	17 28 47 4	11 26 51.8	03 32 50.8	Total Events by Station:	
DATE	08 Jan 65	20 Aug 65	01 Sep 65	17 Oct 65	12 Feb 66	20 Mar 66		10 Jul 66				19 Jan 67	34 Mar 67	11 Mar 68	25 Jul 68	25 Aug 68	19 Oct 68	29 Oct 54	07 Nov 68		

WES							11/		.49	73		67		. 99	71,	71.								7
SHI												28.	29.	28		21.	22							S
SEO				75			78.	77		77.				77.		71,				79°				7
MD					46		40		46.	43.		47	. 8 7	47	•04	•04		47.						10
Š					112																			1
¥.														94	78	79.			. 78	96				S
됳											19	20.	20.	20.	28.	27.		20.						7
NO												22	20.			23	27°	19.						5
STATION IST KBL																					37	340	39.	м
IST	°s	70															•9							~
> 0															.68									-
DAL						. 68 6 6	2		• 6 8			. 88			92									S
욁									.69	•			.1.	. 8.		.69		. 99						00
윍			64.			•	•				71.					62.		_						_
208			87. 6						.98							_		83.						9
줮	6 .	2	_						_		_	_		_		13.		_						
9					30		17								124			132						_
	4 4 4 N N N	0	0					0	60	. 5	.5	2.1	9.0							7.	۳.	.1	0	
DEPTH (EB)																								
	33	7.5	10	39	78	×:	200	28	38	33	22	20	-,	15	•	16	4	25	1	•	2	Ξ	17	
(Degrees)	. TE	38	. 2E	. 1E	. 4E	100 H		6E	OE	SE.	1.6E	. ZE	. 3E	. 3E	. 8E	. 4E	. 8E	. SE	. 3E	. 9E	. 2E	, 1E	19.4E	
GE	222	7.2	28	7	22	55	7 6	22	23	7	7	2	7	2	ĕ	ĕ	7	7	7	7	2	27	51	. u
(Degrees)	Z Z Z	N.	38	Z.	. 6N	Z	7.7	N.	. 2N	. SN	. 3N	. 2N	. 8N	.7N	. 7N	. 7N	. SN	. SN	. 3N	. 9x	No.	. 6N	42.1N	Total Events by Station:
30	39		7	4	38	M	7 1	E	35	m	4	35	7	36	7	¥	Š	₹	7	3	S	ř,	7	by S
TIME	21.0	29.5	19.2	12.0	30.7	54.2	02.7	44.6	48.3	55.6	19.0	29.4	18.7	00.5	53.3	01.7	44.2	51.5	42.7	57.1	55.6	15.0	31.8	vents
ORIGIN Hr Min	413	12	1 31	9 7 0	47	12	000	18	2 01	1 42	50 2	2 39	80 1	60 /	2 56	1 31	\$ 7	7 23	2 44	39	1 47	\$ 22	67 1	tal 3
S H	55.0	17	7	15	50	0	7.	6	0	ŏ	=	0	7	0	ĭ	6	7		7	0	5	0	õ	7
,, ;	2 9 9	10	1 64	1 64	4 65	200		1 65												r 68	1 68	t 68	× 68	
DATE	51 Jan 23 Feb	08 Apr	06 Oc.	27 Oc1	31 Man	OS AP	27 Apr	06 Ju	05 Fel	09 May	20 Aug	29 Oc.	09 Fel	01 May	22 Ju.	30 Ju.	ON 60	30 No	02 De	28 Ma.	04 Jul	31 Oct	03 No	
• •		_				-		_	-	_			-							т				

5	ES									80	70.	:	85.						
į			7	7.					13.	12.				14.					
CH CH	SEC				62.		62			200	. 79		. 19						
Š								19.		27	310	20.	27	-25					
3								83.			.66	84.							
4	į												72	2					
Š		20.	.97					51.		. 1+	36		4 1.						
NOM								45						9					
			•									•			18.	•			
STATION IST IST			21.					26		•					_	_	_	7	
I AVO			.,						7		81.								
DAL											•	-							
G C								•	•										•
_	•							7.7	707	99		7.7							
2 СНС		7 4		4	?	43	•	_)	54						
708	•							92	91.		92	80	•						
NO P				35		300	20					•							
9												111						101	•
م	5.2		N .	2.0	8.v	5.5	0.0	5.5	5.5	5.9	.,	5.6	5.6	5.0	•	. 4	4	0.9	
E B	53	33	37	20	50	25	33	13	19	5 7 8	97	34	33	33	2 2) M	1	13	
(Degrees)	49.4E	50.3E	51. ZE 58. 1E	52.6E	52.7E 52.6E			41.7E					40.4E	51.5E	48.2E	48.7E	53.7E	59.0E	
(Degrees)	31.5N 26.9N	36.9N	34.4N	28. ZN	28.2N	28.2N	28.1N	39.1N	41.7N	NO. 01	27.8N	34.1N	39.5N	77. CY	N6 0	32.5N	36.5N	34.0N	Cotal Events by Station:
Sec	53.5	25.9	9.00	0.01	50.3	17.7	14.5	05.8	13.7	0.0	20.00	15.7	5.5		4.7	7.5	2.1	7.4	ents
RIGIN 1	13	28	3	25	80	39	23	91	7.	22	43	50	22	20	29	33	03	47	al Ev
R H	12 09	96	35	90	05	0.0	80	53	9 :	12	20	=:	74	6	5	80	91	10	Tot
	7 7			33	5	33	65	99	9 9	9 9	99	67	\ 8	68	68	68	89	89	
DATE	200	Feb	Feb	Aug	AL	You .	-	Mar	1	Aue	Sep	5		JEN	Sea.	761	Jul	Aug	

TABLE XV
Events Analyzed
AREA XIII
IRAN-TURKEY

		94		94																	66					. 76					•
:						16)											.91					23			20.				.
	NEC.			*	39		. 8 7	1		. 8	:									8 7				4 4		. 77	47	•			•0
											11.		2.			•	•	2	,												7
		80		08			94			.97	•															80.	76.				9
:	<u> </u>							50	5.2	1										57.						52		•			S
;		29					.19	;		61.	•								.65	.09		.09			59	.65					•0
	5				• 64		50			50	,								45	67.		•64					-67				7
STATION																													10	-	7
ST				33						35									33	34.					33	M	37				7
	Š						57			57										85		58				57.	2.5	1			9
	1	110		110																											7
5	3				. 9/		82	73.	1																		78°				4
910												30.	29													30	26				*
		200	1							105									.86	105			.96		-86			.86			60
2	왕 :	**			49															7						45.					m
200							.26			.26												92.		85.							•
ď	٠[.	1.0	9.0	0.0	6.1	o. 1	5.8	5.4	5.3	0.9	1.7	6.4	9.	1.1	7.7	4.5	+ . +	-	5.7	5.8	5.7	6.2	5.5	8,8	5.7	5.7	5.7	5.4	4.5	4.5	
DEPTH																															
LONGITUDE	20 02	70.9E	100	10./	77.7E	69.1E	69 . 7E	73.1E	73.0E	69.7E	71.6E	71.SE	69.7E	69.8E	71.3E	70.6E	70.0E	69.7E	70.8E	68.8E	68.6E	68.7E	69.6E	78.9E	70.8E	71.6E	75.3E	77.8E	79.2E	96.69	••
LATITUDE	(Sayran)	20.02	20.75	20.00	26.32	38.2N	29.9N	39°3N	33.9N	29.BN	39.1N	36.6N	29.9N	29.9N	35.8N	36.1N	30.0N	N6.62	20.02	29.9N	29.9N	30.0N	38. 4N	28.7N	26.4N	36.6N	33.7N	36.1N	41.2N	30.1N	Total Events by Station
TIME		1/1	7.10	0.00	18.9	24.6	9.70	02.2	07.5	13.9	58.0	11.3	22.0	17.7	0.90	46.5	02.0	29.3	54.2	55.1	57.0	29.6	35.0	33.8	19.7	19.4	39.9	48.5	50.9	16.4	Vents
DRIGIN HE Win		2 4		200	2 49	0 45	7 23	8 52	9 20	97 +	70 1	4	77 6	8 26	0 03	4 02	10 9	9 14	S 11	60 6	0 30	21 02	2 05	2 15	91 2	1 50	5 18	9 05	2 52	3 21	otal B
8 3	:17		-	-	0	~	0	ō	6	ŏ	õ	16	õ	=	72	ŏ	ŏ	õ	0	ĭ	2	7	7	0	0	0	_	ä	0	0	ř
DATE		19 45 07	14 Mar As	100	50 unc 77	05 Jan 66	24 Jan 66	28 Jan 66	02 Feb 66	07 Feb 66	12 Feb 66	12 Feb 66	16 Feb 66	17 Feb 66	28 Feb 66		04 Mar 66	15 Mar 66	04 Jun 66	01 Aug 66	01 Aug 66	01 Aug 66	10 Aug 66	15 Aug 66	16 Aug 65	25 Jan 67	20 Feb 67	27 May 67	03 Apr 69	17 Apr 69	

TABLE XVII	Events Analyzed	AREA XV	CHINA-NEPAL-BURNA

	NES	113															
	SHI	90	20	. 77	. +						41.	24	30.	2			
	SEO	7										39	67				
	N N	17.		23.	23.								12.	:			
	ě	• 63	65	.65							61	•	•	.59			
	¥				11.	;						4 8	37				•
	킭		.94	88						70.		70		82.			
	S 69								52	26.	67			64.			
ATION	19 .85 28 .81														77	24	2
ST	2 8	51.	20.	62	.79				43	43.	-65			57			o
	S		+1 •	29.					4 00		31.			34.			v
ā	125																-
5		ı	83.		80.	80	.91	64.			87.						
CHC CHC						2.6	3						13.	12.		15•	5
302						102	98				701		•				*
AOU	1		010									į	63,	6			ы
ADE	70.	72	5	.69				.78	85.	84.	. 78	9/	. 9/	2			12
•	4.0		2.6	5.7	5.4	4.5	5.6	7.9	5.8	9.0	5.9	5.9	`.	4.8	4.6	4.8	
DEPTH (km)																	
LONGI TUDE (Degrees)	94.4E	94.7E	99.6E	103.1E	80.5E	80.2E	70.8E	80.9E	80.7E	100.15	81.0E	94.35	100.3E	95.1E	85.SE	97. SE 82. 2E	
(Degrees)	21.7N 24.9N	23.7N 27.6N	27.9N	26.1N	31.6N	34. BN	36.4N	29.7N	29.8N	27.4N	29.6N	31.1N	31.7N	30.1N	40. ZN	46.7N	Total Events by Station:
Sec	48.4	24.0	05.8	41.0	56.7	28.0	48.5	08.6	20.0	22.9	13.5	02.3	01.5	55.3		45.3	Events
 Hr Min	15 10 20 15	10 58 13 32	02 35	10 41	02 15	15 06	22 41	10 41	10 49	14 00	20 52	09 21	04 22	20 34	70	08 57	Total
DATE	27 Feb 64 12 Jul 64	12 Jan 65	31 Jan 66 05 Feb 66		06 Mar 66							-	30 Aug 67	25 Jun 68	04 Sen 68	05 Sep 68	

REGION TOTALS	P 55	P 40	PKP S0	P 43	_	_	98 99 98	P 106	P 115		PKP 14				PKP 48		PKP S		P 91	_	PKP 2		1486 Analy_ed
WES	11	0 0		-	ı		9	11	7		7	0		S	4	7	•		•		1	69	56
SH	=	:	9	-		0	∞	7	7	7	¥	, r	. 0		00	Ŋ	v	n	S	•	ю	32	
SEO	_		_	S		6	7	S	7	9	•		6	0		7	-		∞	•	1	r- 00	95 10
NDI	•	0	0	-	 •	ю	7	7	•	7	Ξ		60	7	6	0	,		7		n	86 8	2
MON	•		*		_	r	+3	2		10		•	S	•		7	r	1	9			2 00	1 113
TAM	-	. ~	_	•			_	10	7	2	-	•	S	_				,	10		•	9 6	6
WAL	_		.,			_			•	_	_		_	_								7	78
NON	_	•				•	-,		-,	_	•	•				,-	•	•	•		•	19	80
KBL	9-	1 🕶		ω.	•	•	7	10	7	10		7	. ~		9	S	•	•	7	•	9	74	80
	v	•	S		₩ •	*	v	6	₹	S	U	1	€.		S	~	v	•	7	•	•	18	67
V IST	74	r +^1		2	٥	0	7	10	10	6		10	00		œ	~	•	1	7	•	'n	85	107
DAV	11		S		4	•	S	•	9	6	•	•	6	v)	7	•	7	9		n	65	8
DAL	•	9		4	•	1	S	*	*	M		_	• •	٥ ٧)	Ŋ			,	-	7	69	52
용	7	4		7	9	•	Ŋ	9	7	6	a	•		ر د	•	∞	4	,	4	•	0	86 5	03
CHG	00		80		⊷ •	0	∞	4	7	7	-	•	2	9	i,	4	v	1	4	•	•	19	83 1
B02	∞	7		9	-	2	S	9	9	1	m v	•		on oc)	9	4	•	00	•	•	90	0.5
줡	9	7		1	-	4	~	m	۳	-		**	1		1	۳)	2		n	35	7
ADE	- 00	•	7		-		7	7	11	6	œ		7	12	1	•	~ -	٠,-	9	1.2	:	81	102
PHASE	P	: !	<u>e</u>		PKP	PKP	PKP	PKP		-	PKP P	PKP					PKP	63				PKP	
Z	ء ج	Δ.	Ξ.	Δ,	<u>a</u> 0		۵, ۵	۵, ۵,	۵, ۵	<u> </u>			<u> </u>	<u>.</u> 0		o. i	_ 0.	rh.	r3 _m (<u> </u>	. 2	4 4	
REGION	South America	Central America	California-Mestern	United States	9		Aleutian Is.	Kamchatka-Kurile Is.	Japan	Philippine IsTaiwan	Solono A Solono Co.		Sumstra-Java	Tonga IsFiji Is.		Turkey-Greece	Tran-Turkey	(au	Tadzhik-Hindu Kush			STATION TOTALS	

TABLE XVIX
Events Analyzed, Worldwide Distribution, 20° to 45°

REGION	STATION	EVENTS DELETED
Central America	BOZ	15 Dec 65
Central America	WES	
California	CMC	16 Aug 66
Alaska	BOZ	
Alaska	CMC	07 Aug 66, 15 Aug 66
Japan	DAV	07 Jun 66, 26 Aug 67
Solomon IsNew Hebrides	ADE	
Sumatra-Java	DAV	24 Mar 67
Turkey-Greece	KON	30 Nov 67
Turkey-Greece	MAL	20 Aug 66
Turkey-Greece	SHI	
Iran-Turkey	KON	
Iran-Turkey	NDI	21 Jun 65
Tadzhik-Hindu Kush	IST	
China-Nepal-Burma	SHI	

TABLE XX
Events Analyzed, Worldwide Distribution, 45° to 80°

REGION	STATION	EVENTS DELETED
South America	BOZ	25 Jul 64, 10 Nov 66, 15 Nov
South America	DAL	
Kamchatka-Kurile Is.	NDI	
Japan	ADE	
Japan	CMC	
Japan	MUN	
Japan	SHI	26 Aug 67
Philippine IsTaiwan	SHI	
Solomon IsNew Hebrides	SEO	01 Jan 64
Turkey-Greece	NDI	09 May 66, 22 Jul 67, 30 Jul
Iran-Turkey	CMC	
China-Nepal-Burma	KON	

TABLE XXI
Events Analyzed, Worldwide Distribution, 80° to 105°

REGION	STATION	EVENTS DELETED
South America	AQU	28 Mar 65
South America	CMC	
Alaska	СНС	
Alaska	SHI	
Japan	WES	
Solomon IsNew Hebrides	СМС	
Solomon IsNew Hebrides	BOZ	
Tonga IsFiji Is.	BOZ	
Tonga IsFiji Is.	CMC	




Figure 1. Regions used in coda analysis study.






Figure 2. Map showing location of worldwide network.





Figure 3. Coda measurement technique.






Figure 4b. Determination of representative coda envelope from a set of coda determinations.




Figure 5. Travel-time curves for P phases.




Figure 6. P coda characteristics, South America, ADE.




Figure 7. PKP coda characteristics, South America, ADE.




Figure 8. P coda characteristics, South America, AQU.




Figure 9. P coda characteristics, South America, BOZ.




Figure 10. PKP coda characteristics, South America, CHG.




Figure 11. P coda characteristics, South America, CMC.

3




Figure 12. P coda characteristics, South America, DAL.




Figure 13. P coda characteristics, South America, DAV.

.




Figure 14. P coda characteristics, South America, IST.




Figure 15. PKP coda characteristics, South America, IST.




Figure 16. PKP coda characteristics, South America, KBL.




Figure 17. P coda characteristics, South America, KON.




Figure 18. PKP coda characteristics, South America, KON.




Figure 19. P coda characteristics, South America, MAL.




Figure 20. PKP coda characteristics, South America, MAT.




Figure 21. PKP coda characteristics, South America, MUN.




Figure 22. PKP coda characteristics, South America, NDI.




Figure 23. PKP coda characteristics, South America, SEO.




Figure 24. PKP coda characteristics, South America, SHI.




Figure 25. P coda characteristics, South America, WES.




Figure 26. PKP coda characteristics, Central America, ADE.




Figure 27. P coda characteristics, Central America, AQU.




Figure 28. P coda characteristics, Central America, BOZ.




Figure 29. PKP coda characteristics, Central America, CHG.




Figure 30. P coda characteristics, Central America, CMC.




Figure 31. P coda characteristics, Central America, DAL.




Figure 32. PKP coda characteristics, Central America, DAV.




Figure 33. P coda characteristics, Central America, IST.




Figure 34. PKP coda characteristics, Central America, KBL.




Figure 35. P coda characteristics, Central America, KON.




Figure 36. P coda characteristics, Central America, MAL.




Figure 37. P coda characteristics, Central America, MAT.




Figure 38. PKP coda characteristics, Central America, MAT.




Figure 39. PKP coda characteristics, Central America, MUN.




Figure 40. PKP coda characteristics, Central America, NDI.




Figure 41. PKP coda characteristics, Central America, SEO.




Figure 42. PKP coda characteristics, Central America, SHI.




Figure 43. P coda characteristics, Central America, WES.





Figure 44. PKP coda characteristics, California and Western United States, ADE.






Figure 46. P coda characteristics, California and Western United States, BOZ_{\bullet}




Figure 47. PKP coda characteristics, California and Western United States, CHG.




Figure 48. P coda characteristics, California and Western United States, CMC.




Figure 49. P coda characteristics, California and Western United States, DAL.

Figure 50. No observations, California and Western United States, DAV.




Figure 51. P coda characteristics, California and Western United States, IST.




Figure 52. PKP coda characteristics, California and Western United States, KBL.




Figure 53. P coda characteristics, California and Western United States, KON.




Figure 54. P coda characteristics, California and Western United States, MAL.




Figure 55. P coda characteristics, California and Western United States, MAT.




Figure 56. PKP coda characteristics, California and Western United States, MUN.




Figure 57. P coda characteristics, California and Western United States, NDI.




Figure 58. PKP coda characteristics, California and Western United States, NDI.




Figure 59. P coda characteristics, California and Western United States, SEO.




Figure 60. P coda characteristics, California and Western United States, SHI.




Figure 61. P coda characteristics, California and Western United States, WES.

Figure 62. No observations, Alaska, ADE.




Figure 63. P coda characteristics, Alaska, AQU.




Figure 64. P coda characteristics, Alaska, BOZ.




Figure 65. P coda characteristics, Alaska, CHG.




Figure 66. P coda characteristics, Alaska, CMC.




Figure 67. P coda characteristics, Alaska, DAL.




Figure. 68. P coda characteristics, Alaska, DAV.




Figure 69. P coda characteristics, Alaska, IST.




Figure 70. P. coda characteristics, Alaska, KBL.




Figure 71. P coda characteristics, Alaska, KON.




Figure 72. P coda characteristics, Alaska, MAL.




Figure 73. P coda characteristics, Alaska, MAT.




Figure 74. PKP coda characteristics, Alaska, MUN.




Figure 75. P coda characteristics, Alaska, NDI.




Figure 76. P coda characteristics, Alaska, SEO.




Figure 77. P coda characteristics, Alaska, SHI.




Figure 78. P coda characteristics, Alaska, WES.




Figure 79. P coda characteristics, Aleutian Islands, ADE.




Figure 80. P coda characteristics, Aleutian Islands, AQU.




Figure 81. P coda characteristics, Aleutian Islands, BOZ.




Figure 82. P coda characteristics, Aleutian Islands, CHG.




Figure 83. P coda characteristics, Aleutian Islands, CMC.




Figure 84. P coda characteristics, Aleutian Islands, DAL.




Figure 65. P coda characteristics, Aleutian Islands, DAV.




Figure 86. P coda characteristics, Aleutian Islands, IST.




Figure 87. P coda characteristics, Aleutian Islands, KBL.




Figure 88. P coda characterístics, Aleutian Islanda, KON.




Figure 89. P coda characteristics, Aleutian Islands, MAL.




Figure 90. P coda characteristics, Aleutian Islands, MAT.




Figure 91. P coda characteristics, Aleutian Islands, MUN.




Figure 92. P coda characteristics, Aleutian Islands, NDI.




Figure 93. p coda characteristics, Aleutian Islands, SEO.




Figure 94. P coda characteristics, Aleutian Islands, SHI.




Figure 95. P coda characteristics, Aleutian Islands, WES.




Figure 96. P coda characteristics, Kamchatka-Kurile Islands, ADE.




Figure 97. P coda characteristics, Kamchatka-Kurile Islands, AQU.




Figure 98. P coda characteristics, Kamchatka-Kurile Islands, BOZ.




Figure 99. P coda characteristics, Kamchatka-Kurile Islands, CHG.




Figure 100. P coda characteristics, Kamchatka-Kurile Islands, CMC.




Figure 101. P coda characteristics, Kamchatka-Kurile Islands, DAL.




Figure 102. P coda characteristics, Kamchatka-Kurile Islands, DAV.




Figure 103. P coda characteristics, Kamchatka-Kurile Islands, IST.




Figure 104. P coda characteristics, Kamchatka-Kurile Islands, KBL.




Figure 105. P coda characteristics, Kamchatka-Kurile Islands, KON.




Figure 106. P coda characteristics, Kamchatka-Kurile Islands, MAL.




Figure 107. P coda characteristics, Kamchatka-Kurile Islands, MAT.




Figure 108. P coda characteristics, Kamchatka-Kurile Islands, MUN.




Figure 109. P coda characteristics, Kamchatka-Kurile Islands, NDI.




Figure 110. P coda characteristics, Kamchatka-Kurile Islands, SEO.




Figure 111. P coda characteristics, Kamchatka-Kurile Islands, SHI.




Figure 112. P coda characterístics, Kamchatka-Kurile Islands, WES.




Figure 113. P coda characteristics, Japan, ADE.




Figure 114. P coda characteristics, Japan, AQU.




Figure 115. P coda characteristics, Japan, BOZ.




Figure 116. P coda characteristics, Japan, CHG.




Figure 117. P coda characteristics, Japan, CMC.




Figure 118. P coda characteristics, Japan, DAL.




Figure 119. P coda characteristics, Japan, DAV.




Figure 120. P coda characteristics, Japan, IST.




Figure 121. P come characteristics, Japan, KBL.




Figure 122. P coda characteristics, Japan, KON.




Figure 123. P coda characteristics, Japan, MAL.




Figure 124. P coda characteristics, Japan, MAT.




Figure 125. P coda characteristics, Japan, MUN.




Figure 126. P coda characteristics, Japan, NDI.




Figure 127. P coda characteristics, Japan, SEO.




Figure 128. P coda characteristics, Japan, SHI.




Figure 129. P coda characteristics, Japan, WES.




Figure 130. P coda characteristics, Philippine Islands-Taiwan, ADE.




Figure 131. P coda characteristics, Philippine Islands-Taiwan, AQU.




Figure 132. P coda characteristics, Philippine Islands-Taiwan, BOZ.




Figure 133. PKP coda characteristics, Philippine Islands-Taiwan, BOZ.




Figure 134. P coda characteristics, Philippine Islands-Taiwan, CHG.




Figure 135. P coda characteristics, Philippine Islands-Taiwan, CMC.




Figure 136. PKP coda characteristics, Philippine Islands-Taiwan, DAL.




Figure 137. P coda characteristics, Philippine Islands-Taiwan, DAV.




Figure 138. P coda characteristics, Philippine Islands-Taiwan, IST.




Figure 139. P coda characteristics, Philippine Islands-Taiwan, KBL.




Figure 140. P coda characteristics, Philippine Islands-Taiwan, KON.




Figure 141. P coda characteristics, Philippine Islands-Taiwan, MAL.




Figure 142. PKP coda characteristics, Philippine Islands-Taiwan, MAL.




Figure 143. P cous characteristics, Philippine Islands-Taiwan, MAT.




Figure 144. P coda characteristics, Philippine Islands-Taiwan, MUN.




Figure 145. P coda characteristics, Philippine Islands-Taiwan, NDI.




Figure 146. P coda characteristics, Philippine Islands-Taiwan, SEO.




Figure 147. P coda characteristics, Philippine Islands-Taiwan, SHI.




Figure 148. PKP coda characteristics, Philippine Islands-Taiwan, WES.




Figure 149. P coda characteristics, Solomon Islands-New Hebrides, ADE.




Figure 150. PKP coda characteristics, Solomon Islands-New Hebrides, AQU.




Figure 151. P coda characteristics, Solomon islands-New Hebrides, BOZ.




Figure 152. P coda characteristics, Solomon Islands-New Hebrides, CHG.




Figure 153. P coda characteristics, Solomon Islands-New Hebrides, CNC.




Figure 154. PKP coda characteristics, Solomon Islands-New Hebriues, DAL.




Figure 155. P coda characteristics, Solomon Islands-New Hebrides, DAV.




Figure 156. PKP coda characteristics, Solomon Islands-New Hebrides, IST.




Figure 157. P coda characteristics, Solomon Islands-New Hebrides, KBL.




Figure 158. PKP coda characteristics, Solomon Islands-New Hebrides, KBL.




Figure 159. PKP coda characteristics, Solomon Islands-New Hebrides, KON.




Figure 160. PKP coda characteristics, Solomon Iclands-New Hebrides, MAL.




Figure 161. P coda characterístics, Solomon Islands-New Hebrides, MAT.




Figure 162. P coda characteristics, Solomon Islands-New Hebrides, MUN.




Figure 163. P coda characteristics, Solomon Islands-New Hebrides, NDI.




Figure 164. P coda characteristics, Solomon Islands-New Hebrides, SEO.




Figure 165. P coda characteristics, Solomon Islands-New Hebrides, SHI.




Figure 166. PKP coda characteristics, Solomon Islands-New Hebrides, SHI.




Figure 167. PKP coda characteristics, Solomon Islands-New Hebrides, WES.




Figure 168. P coda characteristics, Sumatra-Java, ADE. Figure 169. No observations, Sumatra-Java, AQU.




Figure 170. PKP coda characteristics, Sumatra-Java, BOZ.,




Figure 171. P coda characteristics, Sumatra-Java, CHG.




Figure 172. P coda characteristics, Sumatra-Java, CMC.




Figure 173. PKP coda characteristics, Sumatra-Java, CMC.




Figure 174. PKP coda characteristics, Sumatra-Java, DAL.




Figure 175. P coda characteristics, Sumatra-Java, DAV.




Figure 176. F coda characteristics, Sumatra-Java, IST.




Figure 177. P coda characteristics, Sumatra-Java, KBC.




Figure 178. P coda characteristics, Sumatra-Java, KON.




Figure 179. P coda characteristics, Sumatra-Java, MAL.




Figure 180. PKP coda characteristics, Sumatra-Java, MAL.




Figure 181. P coda charactersitics, Sumatra-Java, MAT.




Figure 182. P coda characteristics, Sumatra-Java, MUN.




Figure 183. P coda characteristics, Sumatra-Java, NDI.




Figure 184. P coda characteristics, Sumatra-Java, SEO.




Figure 185. P coda characteristics, Sumatra-Java, SHI.




Figure 186. PKP coda characteristics, Sumatra-Java, WES.




Figure 187. P coda characteristics, Tonga Islands-Fiji Islands, ADE.




Figure 188. PKP coda characteristics, Tonga Islands-Fiji Islands, AQU.




Figure 189. P coda characteristics, Tonga Islands-Fiji Islands, BOZ.




Figure 190. P coda characteristics, Tonga Islands-Fiji Islands, CHG.




Figure 191. P coda characteristics, Tonga Islands-Fiji Islands, CMC.




Figure 192. P coda characteristics, Tonga Islands-Fiji Islands, DAL.




Figure 193. P coda characteristics, Tonga Islands-Fiji Islands, DAV.




Figure 194. PKP coda characteristics, Tonga Islands-Fiji Islands, IST.




Figure 195. PKP coda characteristics, Tonga Islands-Fiji Islands, KBL.




Figure 196. PKP coda characteristics, Tonga Islands-Fiji Islands, KON.




Figure 197. PKP coda characteristics, Tonga Islands-Fiji Islands, MAL.




Figure 198. P coda characteristics, Tonga Islands-Fiji Islands, MAT.




Figure 199. P coda characteristics, Tonga Islands-Fiji Islands, MUN.




Figure 200. PKP coda characteristics, Tonga Islands-Fiji Islands, NDI.




Figure 201. P coda characteristics, Tonga Islands-Fiji Islands, SEO.




Figure 202. PKP coda characteristics, Tonga Islands-Fiji Islands, SHI.




Figure 203. PKP coda characteristics, Tonga Islands-Fiji Islands, WES.




Figure 204. PKP coda characteristics, Turkey-Greece, ADE.




Figure 205. P coda characteristics, Turkey-Greece, AQU.




Figure 206. P coda characteristics, Turkey-Greece, BOZ.




Figure 207. P coda characteristics, Turkey-Greece, CHG.




Figure 208. P coda characteristics, Turkey-Greece, CMC. 138




Figure 209. P coda characteristics, Turkey-Greece, DAL.




Figure 210. P coda characteristics, Turkey-Greece, DAV.




Figure 211. P coda characteristics, Turkey-Greece, IST.




Figure 212. P coda characteristics, Turkey-Greece, KBL.




Figure 213. P coda characteristics, Turkey-Greece, KON.




Figure 214. P coda characteristics, Turkey-Greece, MAL.





Figure 215. P coda characteristics, Turkey-Greece, MAT.



142 Figure 216. PKP coda characteristics, Turkey-Greece, MUN.




Figure 217. P coda characteristics, Turkey-Greece, NDI.




Figure 218. P coda characteristics, Turkey-Greece, SEO.




Figure 219. P coda characteristics, Turkey-Greece, SHI.




Figure 220. P coda characteristics, Turkey-Greece, WES.




Figure 221. P coda characteristics, Iran-Turkey, ADE.




Figure 222. PKP coda characteristics, Iran-Turkey, ADE.




Figure 223. P coda characteristics, Iran-Turkey, AQU.




Figure 224. P coda characteristics, Iran-Turkey, BOZ.




Figure 225. P coda characteristics, Iran-Turkey, CHG.




Figure 226. P coda characteristics, Iran-Turkey, CMC. Figure 227. No observations, Iran-Turkey, DAL.





Figure 228. P coda characteristics, Iran-Turkey, DAV.



148 Figure 229. P coda characteristics, Iran-Turkey, IST.




Figure 230. P coda characteristics, Iran-Turkey, KBL.




Figure 231. P coda characteristics, Iran-Turkey, KON.




Figure 232. P coda characteristics, Iran-Turkey, MAL.




Figure 233. P coda characteristics, Iran-Turkey, MAT.




Figure 234. P coda characteristics, Iran-Turkey, MUN.




Figure 235. P coda characteristics, Iran-Turkey, NDI.




Figure 236. P coda characteristics, Iran-Turkey, SEO.




Figure 237. P coda characteristics, Iran-Turkey, SHI.




Figure 238. P coda characteristics, Iran-Turkey, WES.




Figure 239. P coda characteristics, Tadzhik-Hindu Kush, ADE.




Figure 240. P coda characteristics, Tadzhik-Hindu Kush, AQU.




Figure 241. P coda characteristics, Tadzhik-Hindu Kush, BOZ.




Figure 242. P coda characteristics, Tadzhik-Hindu Kush, CHG.




Figure 243. P coda characteristics, Tadzhik-Hindu Kush, CMC.




Figure 244. P coda characteristics, Tadzhik-Hindu Kush, DAL.




Figure 245. PKP coda characteristics, Tadzhik-Hindu Kush, DAL.




Figure 246. P coda characteristics, Tadzhik-Hindu Kush, DAV.




Figure 247. P coda characteristics, Tadzhik-Hindu Kush, IST.




Figure 248. P coda characteristics, Tadzhik-Hindu Kush, KBL.




Figure 249. P coda characteristics, Tadzhik-Hindu Kush, KON.




Figure 250. P coda characteristics, Tadzhik-Hindu Kush, MAL.




Figure 251. P coda characteristics, Tadzhik-Hindu Kush, MAT.




Figure 252. P coda characteristics, Tadrhik-Hindu Kush, MUN.




Figure 253. P coda characteristics, Tadzhik-Hindu Kush, NDI.




Figure 254. P coda characteristics, Tadzhik-Hindu Kush, SEO.




Figure 255. P coda characteristics, Tadzhik-Hindu Kush, SHI.




Figure 256. P coda characteristics, Tadzhik-Hindu Kush, WES.




Figure 257. P coda characteristics, China-Nepal-Burma, ADE.




Figure 258. P coda characteristics, China-Nepal-Burma, AQU.




Figure 259. P coda characteristics, China-Nepal-Burma, ROZ.




Figure 260. P coda characteristics, China-Nepal-Burma, CHG.




Figure 261. P coda characteristics, China-Nepal-Burma, CMC.




Figure 262. PKP coda characteristics, China-Nepal-Burma, DAL.




Figure 263. P coda characteristics, China-Nepal-Burma, DAV.




Figure 264. P coda characteristics, China-Nepal-Burma, IST.




Figure 265. P coda characteristics, China-Nepal-Burma, KBL.

166




Figure 266. P coda characteristics, China-Nepal-Burma, KON.




Figure 267. P coda characteristics, China-Nepal-Burma, MAL.




Figure 268. P coda characteristics, China-Nepal-Burma, MAT.




Figure 269. P coda characteristics, China-Nepal-Burma, MUN.




Figure 270. P coda characteristics, China-Nepal-Burma, NDI.




Figure 271. P coda characteristics, China-Nepal-Burma, SEO.




Figure 272. P coda characteristics, China-Nepal-Burma, SHI.




Figure 273. PKP coda characteristics, China-Nepal-Burma, WES.

170




Figure 274. Coda characteristics, worldwide events, 20° to 45°.




Figure 275. Coda characteristics, worldwide events, 45° to 80°.

Reproduced from best available copy.




Figure 276. Coda characteristics, worldwide events, 80° to 105°.




Figure 277. P coda characteristics, Kamchatka-Kurile Islands ($5.0 \le m_b \le 5.8$), NP-NT.




Figure 278. P coda characteristics, Kamchatka-Kurile Islands $(5.0 \le m_b \le 5.8)$, RK-ON.




Figure 279. P coda characteristics, Kamchatka-Kurile Islands $(5.0 \le m_b \le 5.8)$, WMO.